

944

ROLL UP DOORS



ALL DOORS ARE WIND RATED



**BEST IN CLASS
WIND RATINGS**

MODEL 944

Less than 2:12 Roof Pitch

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
5'0"	56	264	216	196
6'0"	42	230	188	171
7'0"	30	196	160	145
8'0"	24	176	144	131
8'8"	23	172	141	128
9'0"	22	169	138	125
10'0"	18	153	125	114
11'0"	16	145	119	108
12'0"	12	126	103	94

Greater than 2:12 Roof Pitch

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
5'0"	56	253	207	188
6'0"	42	220	180	164
7'0"	30	187	153	139
8'0"	24	168	138	125
8'8"	23	165	135	123
9'0"	22	162	132	120
10'0"	18	147	120	109
11'0"	16	138	113	103
12'0"	12	120	99	89

MODEL 944WL

Less than 2:12 Roof Pitch

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
5'0"	-	-	-	-
6'0"	-	-	-	-
7'0"	-	-	-	-
8'0"	221	221	181	164
8'8"	222	222	180	165
9'0"	219	219	179	163
10'0"	198	198	162	147
11'0"	188	188	154	140
12'0"	174	174	143	130

Greater than 2:12 Roof Pitch

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
5'0"	-	-	-	-
6'0"	-	-	-	-
7'0"	-	-	-	-
8'0"	38	221	181	164
8'8"	38	222	180	165
9'0"	37	219	179	163
10'0"	30	198	162	147
11'0"	27	188	154	140
12'0"	23	174	143	130

TDI# GDR-158
FL# 28798.1

Contact your Trac-Rite sales representative for rating based upon your specific project, 800.448.8979



CODE APPROVED

- * Based upon 8 ft. Door Height
- * Based upon 4 ft. or greater from the building corner

- * Based upon mean roof height of 14 ft.
- * Based upon a 40'x120' building footprint
- * All pressures are negative ratings

ASCE7-16

- B: Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.
- C: Open terrain with scattered obstructions having heights generally less than 30 feet.
- D: Flat, unobstructed areas exposed to wind flowing over large bodies of water.



Trac-Rite

tracrite.com

TDI# GDR-159
FL# 8055.1

© Trac-Rite 2575.mkt.0823