

# 988

## ROLL UP DOORS



**INDUSTRIAL • COMMERCIAL • AGRICULTURAL**

### MODEL 988WL

**Less than 2:12 Roof Pitch**

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
10'0"	-52.8/+48.0	262	215	196
11'0"	-48.0/+43.6	251	206	187
12'0"	-44.0/+40.0	241	198	180
13'0"	-40.2/+36.6	231	190	172
14'0"	-37.3/+34.0	223	183	166
15'0"	-34.1/+29.9	216	177	161
16'0"	-32.0/+28.0	209	172	156
17'0"	-30.1/+26.4	203	166	151
18'0"	-28.4/+24.9	197	162	147

Greater than 2:12 Roof Pitch

Door Width	PSF	Exposure Cat B (MPH)	Exposure Cat C (MPH)	Exposure Cat D (MPH)
10'0"	-52.8/+48.0	251	206	187
11'0"	-48.0/+43.6	240	197	179
12'0"	-44.0/+40.0	231	189	172
13'0"	-40.2/+36.6	221	181	165
14'0"	-37.3/+34.0	213	175	159
15'0"	-34.1/+29.9	207	170	154
16'0"	-32.0/+28.0	200	164	149
17'0"	-30.1/+26.4	194	159	145
18'0"	-28.4/+24.9	189	155	141



TDI# GDR-159  
FL# 8055.1

\* Based upon 16 ft. Door Height  
\* Based upon 4 ft. or greater from the building corner

ASCE7-16

B: Urban and suburban areas, wooded areas, or other terrain with numerous closely spaced obstructions having the size of single-family dwellings or larger.  
C: Open terrain with scattered obstructions having heights generally less than 30 feet.  
D: Flat, unobstructed areas exposed to wind flowing over large bodies of water.

\* Based upon mean roof height of 20 ft.  
\* Based upon a 40'x120' building footprint  
\* All pressures are negative ratings